

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
115	/	70	R	16	540
125	/	80	R	15	540
135	/	55	R	16	540
135	/	70	R	15	540
135	/	80	R	13	540
135			R	13	540
135			R	14	540
145	/	65	R	14	540
145	/	65	R	15	540
145	/	70	R	14	540
145	/	80	R	12	540
145	/	80	R	13	540
145	/	80	R	14	600
145	/	80	R	15	600
145			R	13	540
155	/	50	R	15	540
155	/	55	R	15	540
155	/	55	R	16	540
155	/	55	R	17	600
155	/	60	R	14	540
155	/	60	R	15	540
155	/	65	R	13	540
155	/	65	R	14	540
155	/	70	R	12	540
155	/	70	R	13	540
155	/	70	R	14	540
155	/	70	R	15	600
155	/	75	R	14	600
155	/	80	R	12	540
155	/	80	R	13	600
155	/	80	R	14	600
155			R	12	540
155			R	13	600
155			R	14	600
160			R	13	600
165	/	45	R	16	540
165	/	50	R	15	540
165	/	50	R	16	540
165	/	55	R	14	540
165	/	55	R	15	540
165	/	55	R	16	600
165	/	60	R	14	540
165	/	60	R	15	540
165	/	60	R	16	600

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
165	/	65	R	13	540
165	/	65	R	14	540
165	/	65	R	15	600
165	/	65	R	16	600
165	/	70	R	13	540
165	/	70	R	14	600
165	/	70	R	15	600
165	/	70	R	18	685
165	/	70	R	365	600
165	/	75	R	14	600
165	/	80	R	13	600
165	/	80	R	14	600
165			R	13	600
175	/	50	R	14	540
175	/	50	R	15	540
175	/	55	R	15	600
175	/	55	R	16	600
175	/	55	R	19	685
175	/	60	R	13	540
175	/	60	R	14	540
175	/	60	R	15	600
175	/	60	R	16	600
175	/	60	R	19	695
175	/	65	R	13	540
175	/	65	R	14	600
175	/	65	R	15	600
175	/	65	R	16	645
175	/	65	R	17	645
175	/	65	R	18	685
175	/	70	R	13	600
175	/	70	R	14	600
175	/	70	R	15	645
175	/	70	R	16	645
175	/	75	R	13	600
175	/	75	R	14	600
175	/	75	R	15	645
175	/	75	R	16	685
175	/	80	R	13	600
175	/	80	R	14	645
175	/	80	R	15	685
175	/	80	R	16	685
175			R	13	600
180	/	50	R	16	600
180	/	60	R	15	600

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
185	/	45	R	15	540
185	/	45	R	17	600
185	/	50	R	14	540
185	/	50	R	15	540
185	/	50	R	16	600
185	/	50	R	17	600
185	/	55	R	14	540
185	/	55	R	15	600
185	/	55	R	16	600
185	/	60	R	13	540
185	/	60	R	14	600
185	/	60	R	15	600
185	/	60	R	16	645
185	/	60	R	17	645
185	/	65	R	13	600
185	/	65	R	14	600
185	/	65	R	15	600
185	/	65	R	16	645
185	/	65	R	365	600
185	/	70	R	13	600
185	/	70	R	14	600
185	/	70	R	15	645
185	/	70	R	15.5	685
185	/	70	R	16	685
185	/	75	R	14	645
185	/	75	R	15	685
185	/	75	R	16	685
185	/	80	R	13	645
185	/	80	R	14	645
185	/	80	R	15	685
185	/	80	R	16	695
185	/	85	R	13	685
185	/	85	R	16	697
185			R	13	645
185			R	14	645
185			R	15	685
190	/	65	R	390	645
195	/	40	R	16	540
195	/	40	R	17	600
195	/	45	R	14	540
195	/	45	R	15	540
195	/	45	R	16	600
195	/	45	R	17	600
195	/	45	R	20	685

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
195	/	50	R	15	600
195	/	50	R	16	600
195	/	50	R	17	645
195	/	50	R	20	695
195	/	55	R	13	540
195	/	55	R	14	600
195	/	55	R	15	600
195	/	55	R	16	600
195	/	55	R	17	645
195	/	55	R	20	697
195	/	60	R	13	540
195	/	60	R	14	600
195	/	60	R	15	600
195	/	60	R	15.5	645
195	/	60	R	16	645
195	/	60	R	17	685
195	/	60	R	17.5	685
195	/	60	R	18	695
195	/	65	R	13	600
195	/	65	R	14	600
195	/	65	R	15	645
195	/	65	R	16	645
195	/	65	R	17	685
195	/	65	R	17.5	695
195	/	70	R	13	600
195	/	70	R	14	645
195	/	70	R	15	645
195	/	70	R	15.5	685
195	/	70	R	16	685
195	/	70	R	17	695
195	/	70	R	17.5	695
195	/	75	R	13	645
195	/	75	R	14	645
195	/	75	R	15	685
195	/	75	R	16	695
195	/	80	R	14	685
195	/	80	R	15	685
195	/	80	R	16	697
195	/	85	R	15	695
195	/	85	R	16	697
195			R	13	685
195			R	14	685
195			R	15	695
205	/	35	R	18	600

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
205	/	40	R	16	600
205	/	40	R	17	600
205	/	40	R	18	645
205	/	45	R	15	600
205	/	45	R	16	600
205	/	45	R	17	645
205	/	45	R	18	645
205	/	50	R	15	600
205	/	50	R	16	600
205	/	50	R	17	645
205	/	50	R	18	685
205	/	50	R	19	695
205	/	55	R	14	600
205	/	55	R	15	600
205	/	55	R	16	645
205	/	55	R	17	645
205	/	55	R	18	685
205	/	55	R	19	697
205	/	60	R	13	600
205	/	60	R	14	600
205	/	60	R	15	645
205	/	60	R	16	645
205	/	60	R	17	685
205	/	60	R	17.5	695
205	/	60	R	18	695
205	/	65	R	14	645
205	/	65	R	15	645
205	/	65	R	16	685
205	/	65	R	17	695
205	/	65	R	17.5	697
205	/	70	R	13	600
205	/	70	R	14	645
205	/	70	R	15	685
205	/	70	R	16	695
205	/	70	R	17	697
205	/	70	R	17.5	697
205	/	75	R	14	685
205	/	75	R	15	695
205	/	75	R	16	695
205	/	75	R	17	697
205	/	75	R	17.5	697
205	/	80	R	14	695
205	/	80	R	15	695
205	/	80	R	16	697

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
205	/	80	R	17.5	698
205	/	85	R	16	697
205			R	14	695
205			R	16	697
210	/	55	R	18	695
210	/	65	R	18	697
215	/	35	R	17	600
215	/	35	R	18	645
215	/	35	R	19	645
215	/	40	R	16	600
215	/	40	R	17	600
215	/	40	R	18	645
215	/	45	R	15	600
215	/	45	R	16	600
215	/	45	R	17	645
215	/	45	R	18	645
215	/	45	R	20	695
215	/	50	R	13	540
215	/	50	R	15	600
215	/	50	R	16	645
215	/	50	R	17	645
215	/	50	R	18	685
215	/	50	R	19	695
215	/	50	R	20	697
215	/	55	R	15	645
215	/	55	R	16	645
215	/	55	R	17	685
215	/	55	R	18	695
215	/	55	R	19	697
215	/	60	R	13	600
215	/	60	R	14	645
215	/	60	R	15	645
215	/	60	R	15.5	685
215	/	60	R	16	685
215	/	60	R	17	695
215	/	60	R	18	697
215	/	65	R	13	600
215	/	65	R	14	645
215	/	65	R	15	685
215	/	65	R	16	685
215	/	65	R	17	697
215	/	65	R	18	697
215	/	65	R	19	698
215	/	70	R	14	685

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
215	/	70	R	15	685
215	/	70	R	16	695
215	/	70	R	17	697
215	/	70	R	17.5	697
215	/	75	R	14	685
215	/	75	R	15	695
215	/	75	R	16	697
215	/	75	R	17	697
215	/	75	R	17.5	698 / AL59
215	/	80	R	14	695
215	/	80	R	15	697
215	/	80	R	16	697
215	/	85	R	15	697
215	/	85	R	16	698
215			R	15	697
215			R	16	697
220	/	55	R	17	695
220	/	55	R	390	645
220	/	60	R	16	685
220	/	60	R	18	697
220	/	65	R	390	685
225	/	30	R	17	600
225	/	30	R	19	645
225	/	35	R	17	600
225	/	35	R	18	645
225	/	35	R	19	645
225	/	35	R	20	685
225	/	40	R	16	600
225	/	40	R	17	645
225	/	40	R	18	645
225	/	40	R	19	685
225	/	40	R	20	695
225	/	45	R	16	645
225	/	45	R	17	645
225	/	45	R	17.5	645
225	/	45	R	18	685
225	/	45	R	19	695
225	/	45	R	20	697
225	/	50	R	16	645
225	/	50	R	17	685
225	/	50	R	17.5	685
225	/	50	R	18	685
225	/	50	R	19	695
225	/	50	R	19.5	697

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
225	/	55	R	13	600
225	/	55	R	15	645
225	/	55	R	16	685
225	/	55	R	17	685
225	/	55	R	18	695
225	/	55	R	19	697
225	/	55	R	20	697
225	/	60	R	14	645
225	/	60	R	15	685
225	/	60	R	16	685
225	/	60	R	17	695
225	/	60	R	17.5	697
225	/	60	R	18	697
225	/	60	R	19	697
225	/	60	R	20	697
225	/	65	R	13	645
225	/	65	R	14	685
225	/	65	R	15	685
225	/	65	R	16	695
225	/	65	R	17	697
225	/	65	R	18	697
225	/	65	R	19	698
225	/	70	R	14	685
225	/	70	R	15	695
225	/	70	R	16	697
225	/	70	R	17	697
225	/	70	R	17.5	698 / AL59
225	/	70	R	18	698
225	/	75	R	14	695
225	/	75	R	15	697
225	/	75	R	16	697
225	/	75	R	17	698
225	/	75	R	17.5	698 / AL59
225	/	75	R	18	698
225	/	80	R	15	697
225	/	80	R	16	698
225	/	85	R	16	698
225	/	700	R	480	695
230	/	60	R	18	697
235	/	30	R	19	645
235	/	35	R	17	600
235	/	35	R	18	645
235	/	35	R	19	645
235	/	35	R	20	685

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
235	/	35	R	21	695
235	/	40	R	17	645
235	/	40	R	18	645
235	/	40	R	19	685
235	/	40	R	20	695
235	/	40	R	22	697
235	/	45	R	16	645
235	/	45	R	17	645
235	/	45	R	18	685
235	/	45	R	19	695
235	/	45	R	20	697
235	/	45	R	21	697
235	/	45	R	22	698
235	/	50	R	13	600
235	/	50	R	17	685
235	/	50	R	18	695
235	/	50	R	19	697
235	/	50	R	19.5	697
235	/	50	R	20	697
235	/	55	R	15	645
235	/	55	R	16	685
235	/	55	R	17	695
235	/	55	R	18	697
235	/	55	R	19	697
235	/	55	R	20	698
235	/	60	R	14	645
235	/	60	R	15	685
235	/	60	R	16	695
235	/	60	R	17	697
235	/	60	R	18	697
235	/	60	R	19	698
235	/	60	R	20	698
235	/	65	R	14	685
235	/	65	R	15	695
235	/	65	R	16	697
235	/	65	R	17	697
235	/	65	R	18	698
235	/	65	R	19	698 / 699
235	/	70	R	14	695
235	/	70	R	15	697
235	/	70	R	16	697
235	/	70	R	17	698
235	/	70	R	17.5	698 / AL59
235	/	75	R	15	697

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
235	/	75	R	16	697
235	/	75	R	17	698
235	/	80	R	16	698
235	/	80	R	17	870
235	/	85	R	16	699 / AL64
235	/	690	R	500	695
235	/	710	R	460	697
235			R	16	698
245	/	30	R	19	645
245	/	30	R	20	685
245	/	30	R	22	695
245	/	35	R	18	645
245	/	35	R	19	685
245	/	35	R	20	695
245	/	35	R	21	697
245	/	40	R	17	645
245	/	40	R	18	685
245	/	40	R	19	695
245	/	40	R	19.5	695
245	/	40	R	20	695
245	/	40	R	21	697
245	/	45	R	16	645
245	/	45	R	17	685
245	/	45	R	18	695
245	/	45	R	19	695
245	/	45	R	20	697
245	/	45	R	21	697
245	/	50	R	15	645
245	/	50	R	16	685
245	/	50	R	17	695
245	/	50	R	18	695
245	/	50	R	19	697
245	/	50	R	20	697
245	/	55	R	16	695
245	/	55	R	17	695
245	/	55	R	18	697
245	/	55	R	19	698
245	/	55	R	20	698
245	/	60	R	14	685
245	/	60	R	15	695
245	/	60	R	16	695
245	/	60	R	17	697
245	/	60	R	18	697
245	/	60	R	20	870

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
245	/	65	R	15	695
245	/	65	R	17	697
245	/	65	R	18	698 / AL59
245	/	70	R	14	695
245	/	70	R	15	697
245	/	70	R	16	697
245	/	70	R	17	698
245	/	70	R	17.5	698 / AL59
245	/	75	R	15	697
245	/	75	R	16	698
245	/	75	R	17	698 / 699
245	/	85	R	15	698 / 699
245	/	680	R	460	695
245	/	690	R	500	695
250	/	70	R	15	697
250	/	75	R	12	695
255	/	30	R	19	685
255	/	30	R	20	695
255	/	30	R	21	695
255	/	35	R	18	685
255	/	35	R	19	695
255	/	35	R	20	695
255	/	35	R	21	697
255	/	40	R	17	685
255	/	40	R	18	695
255	/	40	R	19	695
255	/	40	R	20	697
255	/	40	R	21	697
255	/	40	R	22	698
255	/	45	R	17	695
255	/	45	R	18	695
255	/	45	R	19	697
255	/	45	R	19.5	697
255	/	45	R	20	697
255	/	45	R	21	698
255	/	45	R	22	698
255	/	50	R	16	695
255	/	50	R	17	695
255	/	50	R	18	697
255	/	50	R	19	697
255	/	50	R	20	698
255	/	50	R	21	698
255	/	55	R	14	830
255	/	55	R	15	695

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
255	/	55	R	16	695
255	/	55	R	17	697
255	/	55	R	18	697
255	/	55	R	19	698
255	/	55	R	20	698
255	/	60	R	14	695
255	/	60	R	15	695
255	/	60	R	16	697
255	/	60	R	17	697
255	/	60	R	18	698
255	/	60	R	19	698 / 699
255	/	65	R	15	697
255	/	65	R	16	697
255	/	65	R	17	698
255	/	65	R	18	698
255	/	70	R	14	697
255	/	70	R	15	697
255	/	70	R	16	698
255	/	70	R	17	698
255	/	75	R	15	698
255	/	75	R	16	698 / 699
255	/	75	R	18	870
255	/	80	R	16	870
255	/	80	R	17	870
255	/	85	R	16	870
265	/	30	R	19	830
265	/	30	R	20	695
265	/	30	R	21	695
265	/	30	R	22	697
265	/	35	R	18	830
265	/	35	R	19	695
265	/	35	R	19.5	695
265	/	35	R	20	695
265	/	35	R	21	697
265	/	35	R	22	697
265	/	40	R	17	830
265	/	40	R	18	695
265	/	40	R	19	695
265	/	40	R	20	697
265	/	40	R	21	697
265	/	40	R	22	698 / 699
265	/	40	R	23	698
265	/	45	R	18	695
265	/	45	R	19	697

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
265	/	45	R	20	697
265	/	45	R	21	698
265	/	45	R	22	698
265	/	50	R	15	830
265	/	50	R	16	695
265	/	50	R	19	697
265	/	50	R	20	698
265	/	55	R	17	697
265	/	55	R	18	697
265	/	55	R	19	698
265	/	60	R	14	695
265	/	60	R	15	695
265	/	60	R	16	697
265	/	60	R	17	698
265	/	60	R	18	698
265	/	65	R	16	698
265	/	65	R	17	698
265	/	65	R	17.5	698
265	/	70	R	15	698
265	/	70	R	16	698
265	/	70	R	17	870 / 699
265	/	75	R	15	698
265	/	75	R	16	870 / 699
270	/	70	R	13	697
275	/	25	R	21	695
275	/	25	R	24	698
275	/	30	R	19	830
275	/	30	R	20	695
275	/	30	R	21	850
275	/	30	R	22	850
275	/	35	R	18	695
275	/	35	R	19	695
275	/	35	R	19.5	695
275	/	35	R	20	850
275	/	35	R	21	697
275	/	35	R	22	698
275	/	40	R	17	695
275	/	40	R	18	695
275	/	40	R	19	697
275	/	40	R	20	697
275	/	40	R	21	698
275	/	40	R	22	698 / 699
275	/	45	R	18	697
275	/	45	R	19	697

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
275	/	45	R	20	698
275	/	45	R	21	698 / 699
275	/	50	R	15	695
275	/	50	R	18	697
275	/	50	R	19	698
275	/	50	R	20	698 / 699
275	/	50	R	22	870
275	/	55	R	16	697
275	/	55	R	17	697
275	/	55	R	18	698
275	/	55	R	19	698
275	/	55	R	21	870
275	/	60	R	14	695
275	/	60	R	15	697
275	/	60	R	16	697
275	/	60	R	17	698
275	/	60	R	18	698
275	/	60	R	20	870
275	/	65	R	16	698
275	/	65	R	17	698
275	/	70	R	15	698
275	/	70	R	16	698
275	/	70	R	17.5	870
275	/	70	R	18	870
285	/	30	R	19	695
285	/	30	R	20	830
285	/	30	R	21	850
285	/	30	R	22	850
285	/	35	R	18	695
285	/	35	R	20	697
285	/	35	R	21	850
285	/	35	R	22	698 / AL59
285	/	35	R	23	698
285	/	40	R	18	830
285	/	40	R	19	697
285	/	40	R	20	850
285	/	40	R	21	698
285	/	40	R	23	AL64 / 870
285	/	45	R	19	850
285	/	45	R	20	698
285	/	45	R	21	870
285	/	45	R	22	870
285	/	50	R	18	850
285	/	55	R	18	698 / 699

Däck				Fälg	AutoSock
Bredd		Höjd		Dia	Model
285	/	55	R	20	870
285	/	60	R	16	698
285	/	60	R	17	698 / 699
285	/	65	R	16	698 / 699
285	/	65	R	17	870
285	/	65	R	18	870
285	/	70	R	17	870
285	/	75	R	16	870
295	/	25	R	21	830
295	/	25	R	22	850
295	/	30	R	18	830
295	/	30	R	19	830
295	/	30	R	21	850
295	/	30	R	22	850
295	/	35	R	18	830
295	/	35	R	20	850
295	/	35	R	21	850
295	/	35	R	22	699
295	/	40	R	19	850
295	/	40	R	20	698
295	/	40	R	21	698 / 699
295	/	40	R	22	AL64 / 870
295	/	45	R	18	850
295	/	50	R	15	830
295	/	50	R	16	850
295	/	55	R	20	870
305	/	25	R	20	830
305	/	30	R	19	830
305	/	30	R	20	850
305	/	30	R	21	850
305	/	30	R	22	850
305	/	35	R	20	850
305	/	35	R	24	870
305	/	40	R	20	698
305	/	40	R	22	870
305	/	45	R	17	850
305	/	45	R	22	870
305	/	50	R	20	870
305	/	55	R	16	850
305	/	60	R	18	870
305	/	70	R	16	870
315	/	25	R	22	850
315	/	25	R	23	850
315	/	30	R	20	850

Däck				Fälg	AutoSock
Bredd	/	Höjd		Dia	Model
315	/	30	R	21	850
315	/	35	R	17	830
315	/	35	R	20	850
315	/	40	R	22	870
315	/	70	R	15	870
325	/	25	R	22	850
325	/	30	R	20	850
325	/	30	R	21	850
325	/	35	R	23	870
325	/	40	R	22	870
7-50			R	15	697
07			R	15	697
08			R	16.5	697
21x7			R	15	540
21x8			R	15	540
24x8.5			R	12	600
250			R	15	697
250/70			R	15	697
26.5x8.5			R		685
27x8.5			R	14	697
27x850			R	15	685
30x9.5			R	15	698
31x10.5			R	15	698
33x12.5			R	15	870
33x12.5			R	18	870